# Waldorf 800 SERIES

STATISTICS OF STATES

1º Contraction

S

x

800 SERIES BURNER 10 WHAT'S NEW 11 COOKTOPS 15 INDUCTION COOKTOP 22 OVEN RANGES 25 TARGET TOPS 31 GRIDDLES 35 CHARGRILLS 42 SALAMANDERS 44 FRYERS 47 FILTAMAX 51 BRATT PANS 52 PASTA COOKER 54 BENCH TOPS 56

AND DESCRIPTION OF THE OWNER OWNE

# THE **WALDORF 800 SERIES** CONTINUES A TRADITION OF BULLETPROOF **PERFORMANCE** AND **DEPENDABILITY** WITH A RANGE OF EUROPEAN INSPIRED EQUIPMENT THAT REDEFINES HOW THE **ULTIMATE** KITCHEN SHOULD BE.



# AN **EXPANDED** RANGE OF EQUIPMENT MEANS MORE OPTIONS AND **UNLIMITED** CREATIVE POSSIBILITIES.

Cleaner lines and consistency in modular design across the entire range enable units to fit together to create an almost seamless workspace. The industry preferred 800mm depth ensures efficient use of space, while easily accommodating the advanced performance features that define the 800 Series.





# YOUR WORLD IS NOW FLATTER.

The new Waldorf 800 Series low back units deliver a seamless solution for the island suite kitchen. Create the layout you desire, mix and match tops and bottoms for your perfect result.

ALL DESCRIPTION OF THE PARTY OF







0.0

IJ

....

U





9































# MORE **POWER** TO DESIGN YOUR OWN WORKSPACE. THE **CREATIVE** POSSIBILITIES ARE ALMOST ENDLESS.

Need a Oven to go under that Griddle? A Gas Cooktop with storage underneath? Are you desperate for extra refrigeration? With a bigger range of tops and bottoms available as individual units, the 800 Series enables you to configure your kitchen just about any way you like.





# MORE POWER TO COOK.

The advanced performance made possible by the open burner design of the 800 Series gives the workhorse in your kitchen serious power to burn. The 28MJ burners allow precise heat adjustment across the entire spectrum (from high to low heat/simmer), providing just the right amount of heat, whatever the cooking task. Constructed from heavy-duty cast iron, with a forged brass cap for even flame spread, the non-clogging burner design ensures that continuous performance is never compromised.

Flame failure protection is fitted as standard with burner pilots optional. Robust gas controls are easy to use and designed to withstand the rigours of a busy commercial kitchen.



### Heavy-duty pot supports.

Heavyweight iron castings and full vitreous enamel finish add extra durability to the 800 Series. Levelled tops allow easy movement of pans between burners, while extended pot support fingers provide greater stability for small pan use.

### Simmer plates spread the heat.

A solid top simmer plate distributes heat evenly and provides excellent heat retention. It sits at the same level and is easily interchangeable with pot supports on all 800 Series Gas Cooktops.

# **MORE** OF EVERYTHING MEANS MORE **FLEXIBILITY**.

With an expanded range of products and features, the 800 Series can be configured to suit virtually any application.

New products include:

- Low back height option on all units, ideal for island suite applications
- 450mm gas Chargrill bench, leg stand and cabinet base models
- 400mm single pan gas Fryer
- 900mm 4 burner Cooktops available with leg stand, cabinet base or refrigerated base
- 450mm 2 burner Cooktops leg stand or cabinet base
- 900mm 4 burner Ranges gas or electric, static or convection ovens
- 450mm electric Pasta Cooker 7kW or 10.5kW options
- 450 and 900mm Induction Cooktops available with cabinet base
- Adjustable electric Salamander
- Open cabinet bases in 450, 600, 900 or 1200mm
- Modular stainless steel preparation benches in 200, 300, 450, 600, and 900mm

Gas and electric Cooktops, Target Tops and Griddles can be ordered in the following options:

- Bench mounted
- Leg stand with shelf
- Cabinet with optional racking



### Smooth operation.

On its own, or as part of a whole cooking line, every unit in the 800 Series is designed to look fantastic. The same design philosophy has been applied across all units to create a streamlined, consistent appearance, and increase the amount of useable work surface. Continuous workspaces make transferring pots and pans between units much easier.



# OUR ENVIRONMENT.

All Moffat technology is both a product of its environment and a product for the environment. That means that whether the design, development or construction stage every detail is checked to ensure that our equipment is as energy efficient and earth-friendly as possible. We will continue to use every tool at our disposal to work towards reducing environmental impact even further. This way our products can be enjoyed by not just those who use them, but everyone.





### Robust as always.

All 800 Series units are finished in thick gauge 304 grade stainless steel. Fully framed doors incorporate a new robust hinging system. All our ranges are built on a full galvanized steel chassis construction. And the superb finishing that has become the hallmark of Waldorf products includes fully welded seams (including all bullnoses) and polished stainless steel surfaces.

### Here comes the chill factor.

The addition of refrigeration units to the 800 Series range means food can be contained and cooked in one place. Cooktops, Griddles and Target Tops can be matched with 900 or 1200mm gastronorm refrigeration bases, available in a range of door/drawer combinations. All units accept 1/1 gastronorm sizing.

Waldorf refrigeration units are rated for tropical temperatures up to 40°C and have a holding temperature of -2 to + 8°C. A digital temperature control and an automatic defrosting and condensate heater are standard on all units.

### How do you like your griddle?

Waldorf Cooktop griddle sections can now be fitted anywhere within your Gas Cooktop layout. They are available in 300, 600 and 900mm sections, with smooth or ribbed surfaces, or a mixture of both.

#### Cleaning made easier.

The 800 Series range is designed for labour saving, easy cleaning. Rounded corners, internal and external edges enable easier wipe down and hygiene control. Streamlined surfaces make for effortless wiping down of a whole cooking line.

#### Service while you cook.

The 800 Series design allows full service and maintenance to be carried out while units are installed within the cooking line. This minimises the need to shut down a whole line to service one unit.








# COOKTOPS.

Simplicity of operation and augmented performance are the key features defining Waldorf's range of Gas and Electric Cooktops.

Gas Cooktops feature heavy-duty, vitreous enamel pot stands with extended finger supports that allow pots and pans to slide easily from one burner to another, while their advanced open burners generate an impressive 28MJ of heat. The electric versions offer a choice of heavy-duty, 2.4kW radiant elements, or 2kW solid plates.

Both versions of Cooktop provide flexibility in terms of the type of Cooktop surface that can be used. Hot top simmer plates can be incorporated into the Gas Cooktop, while both gas and electric can accommodate 300, 600 or 900mm griddle plates.



### GAS COOKTOPS.

### Standard Features.

Heavy-duty 304 grade stainless steel finish 28MJ rated open burners 2, 4, 6 or 8 burner Cooktop configuration Flame failure protection on all burners Removable heavy-duty cast iron burners and vitreous enamel pot stands Heavy-duty reinforced control knobs Griddles fitted with push-button piezo ignition 12mm griddle plate Mounted on leg stand with suite matching shelf Adjustable feet and 2 additional rollers Easy clean, installation and service

Options.

Flame failure with standing pilot Choice of griddle surface – smooth, ribbed, or both Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Castor or plinth mounting

#### Accessories.

Solid top simmer plates Mobile castor kit (set of 4 castors, 2 lockable) Joining caps



17

#### GAS COOKTOPS

900MM WALDORF 8600 SERIES **6 BURNER COOKTOP** 

Model Options

**BENCH MODEL** CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL



RN8603G-LS

Dimensions Hob Variations Bench models } W 900mm, D 805mm, H 315mm } Incl. splashback 530mm Incl. low back (RNL) 372mm All other models -} -} IJ

<u>4.14.14</u>
Y X X X
구산상
Q-Q-
소네 비

RN8603G-B RN8603G-CB RN8603G-LS RN8603G-RB RN8606G-B RN8606G-CB RN8606G-LS RN8606G-RB RN8609G-B RN8609G-CB

Model Codes

RN8600G-B

RN8600G-CB

RN8600G-LS

RN8600G-RB

RN8609G-LS RN8609G-RB

#### 1200MM WALDORF 8800 SERIES **8 BURNER COOKTOP**

**BENCH MODEL** CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL



RN8800G-RB

#### Bench models

W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

#### All other models

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

$\searrow$	


#### RN8800G-CB RN8800G-LS RN8800G-RB RN8803G-B

RN8800G-B

RN8803G-CB RN8803G-LS RN8803G-RB

> RN8806G-B RN8806G-CB RN8806G-LS RN8806G-RB

RN8809G-B RN8809G-CB RN8809G-LS RN8809G-RB







Ask for a detailed specification sheet on any of the Waldorf 800 Series Cooktops outlining construction, features and installation information.



## ELECTRIC COOKTOPS.

#### Standard Features.

Heavy-duty 304 stainless steel finish 2.4kW radiant elements 2, 4 or 6 hot plate size configuration Six temperature settings with simmer setting Heavy-duty reinforced control knobs 12mm griddle plate Mounted on leg stand with suite matching shelf Adjustable feet and 2 additional rollers Easy clean, installation and service

#### Options.

2kW solid plates Choice of griddle surface – smooth, ribbed, or both Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Castor or plinth mounting

#### Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps



300MM WALDORF 8200 SERIES 2 ELEMENT COOKTOP	BENCH MODEL ONLY	Bench models W 300mm, D 805mm, H 315mm Incl. splashback 530mm Incl. Iow back (RNL) 372mm	RN8200E-B RN8203E-B
	0. 0. 		RN8203E-B
	RN8200E-B		
600MM WALDORF 8400 SERIES 4 ELEMENT COOKTOP	BENCH MODEL CABINET BASE MODEL LEG STAND MODEL	Bench models W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm	RN8400E-B RN8400E-CB RN8400E-LS
		<b>All other models</b> W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (RNL) 972mm	RN8403E-B RN8403E-CB RN8403E-LS
			RN8406E-B RN8406E-CE RN8406E-LS
	RN8400E-LS		
900MM WALDORF 8600 SERIES 6 ELEMENT COOKTOP	BENCH MODEL CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL	Bench models W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm	RN8600E-B RN8600E-CB RN8600E-LS RN8600E-RB RN8603E-B RN8603E-CB RN8603E-LS RN8603E-RB
			RN8606E-B RN8606E-CE RN8606E-LS RN8606E-RE
	RN8600E-LS		RN8609E-B RN8609E-CE RN8609E-LS RN8609E-RB



### **INDUCTION COOKTOPS.**

The new Waldorf range of Induction Cooktops utilise large 270mm induction zones that automatically detect various sized cooking pans.

The cooking zone switches off when the pan is removed. Each induction model is equipped with either two or four 5kW heavy-duty induction zones that have variable power controls for each cooking zone. The overall construction is heavy-duty 6mm thick ceramic glass, enabling pans to glide across the cooking surface. All Induction Cooktops are supplied with suite matching modular cabinet bases with doors and adjustable feet as standard.

With a large control knob for each induction zone with a (green) indicator light including pan detection indication. Waldorf Induction Cooktops offer the additional benefits of reduced energy consumption and lowering the amount of latent heat in the cooking area.

#### Standard Features.

Heavy-duty 304 stainless steel finish 5kW rated induction cooking zones 270mm diameter induction cooking zones 2 or 4 induction cooktop configuration Fully sealed 6mm thick ceramic cooking surface Adjustable stainless steel legs Large easy use control knobs Automatic pan detection Easy clean, installation and service

#### Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps

### INDUCTION COOKTOPS Model Options Dimensions Model Codes CABINET BASE MODEL ONLY IN8200E-CB W 450mm, D 805mm, H 915mm 450MM WALDORF 8200 SERIES 2 INDUCTION ZONE Incl. splashback 1130mm Incl. low back (RNL) 972mm COOKTOP IN8200E-CB W 900mm, D 805mm, H 915mm IN8400E-CB

Incl. splashback (RNL) 972mm

900MM WALDORF 8400 SERIES **4 INDUCTION ZONE** COOKTOP

CABINET BASE MODEL ONLY



IN8400E-CB



# **OVEN RANGES.** The 800 Series of Oven Ranges offers a number of gas and electric

The 800 Series of Oven Ranges offers a number of gas and electric options designed to meet the varying demands of commercial kitchens.

In terms of sheer cooking power, both gas and electric have lifted performance to a new level. In the gas lineup, enhanced performance up top comes by way of the patented 28MJ open Cooktop burners, while the power of the Electric Cooktop is generated through heavy-duty, 2.4kW radiant elements, or optional 2kW solid plates.

Down below, both Gas and Electric Ovens feature cast iron sole plates for even heat distribution. Heavy-duty motors and circulation fans in the Convection Ovens enable reduced cooking times and lower temperatures.



# GAS RANGES.

### Standard Features.

Heavy-duty 304 grade stainless steel finish 28MJ rated open burners 2, 4, 6 or 8 burner Cooktop configuration Flame failure protection on all burners Removable heavy-duty cast iron burners and vitreous enamel pot stands Heavy-duty reinforced control knobs Drop down door with welded frame Fully welded and vitreous enamelled oven liner Cool touch stainless steel door handle Adjustable feet and 2 additional rollers Easy clean, installation and service

#### Options.

Gas or electric, static or convection Flame failure with standing pilot Choice of griddle surface – smooth, ribbed, or both Castor or plinth mounting

#### Accessories.

Solid top simmer plates Mobile castor kit (set of 4 castors, 2 lockable) Joining caps




#### GAS RANGES Hob Variations Model Codes Oven Options Dimensions G GAS STATIC OVEN W 600mm, D 805mm, H 915mm RN8410G 600MM Incl. splashback 1130mm WALDORF 8410 SERIES Incl. low back (RNL) 972mm **4 BURNER COOKTOP** RN8413G RN8416G RN8410G **G** GAS DOUBLE STATIC OVEN RN8820G 1200MM W 1200mm, D 805mm, H 915mm $\bigcirc$ WALDORF 8820 SERIES Incl. splashback 1130mm 8 BURNER COOKTOP Incl. low back (RNL) 972mm RN8823G RN8826G RN8829G

RN8820G



Waldorf 800 Series Oven Ranges start with a heavyduty galvanized steel chassis. All oven liners are fully welded and vitreous enamelled. Cast iron sole plates in all ovens and welded frame doors ensure durable performance.







RN8610G

1200MM WALDORF 8810 SERIES 8 BURNER COOKTOP



RN8810GE

G GAS STATIC OVEN

**GEC** ELECTRIC

CONVECTION OVEN

Ś

GC GAS CONVECTION





GEC ELECTRIC

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (RNL) 972mm







XIII



RN8613GE

RN8616G RN8616GC RN8616GEC RN8619G RN8619GC RN8619GE

RN8613GEC

RN8619GEC

RN8810G

RN8810GC

RN8810GE

RN8813G

RN8813GC

RN8813GE

RN8813GEC

RN8816G RN8816GC RN8816GE

RN8810GEC

## **ELECTRIC RANGES.**

### Standard Features.

Heavy-duty 304 grade stainless steel finish 2.4 kW radiant elements 4 or 6 hot plate size configuration. Six hot plate temperature settings with simmer setting Heavy-duty reinforced control knobs 12mm griddle plate Drop down door with welded frame Fully welded and vitreous enamelled oven liner Cool touch stainless steel door handle Adjustable feet and 2 additional rollers Easy clean, installation service

### Options.

Choice of griddle surface - smooth ribbed or both 2kW solid plates Electric - static or convection Castor or plinth mounting

#### Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps

#### ELECTRIC RANGES

900MM WALDORF 8610 SERIES **6 ELEMENT COOKTOP** 



RN8610E



Oven Options



W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

Dimensions

Hob Variations

#### Model Codes

RN8610E RN8610EC



RN8616E RN8616EC

RN8613E RN8613EC



RN8619E RN8619EC

Ask for a detailed specification sheet on any of the Waldorf 800 Series Oven Ranges outlining construction, features and installation information.



# TARGET TOPS

Waldorf 900mm Target Tops are available as stand-alone hobs, or with a choice of four base units – cabinet base, leg stand, refrigeration base, or oven base (static/convection, gas/electric).

Featuring a high output, dual ring cast iron burner, the super heavy-duty Target Top casting provides outstanding heat recovery and heat control. Outstanding thermal efficiency is achieved by way of a burner box lined with 50mm refractory ceramic blocks.



# TARGET TOPS.

### Standard Features.

Heavy-duty 304 grade stainless steel finish 45MJ dual ring cast iron burner Flame failure protection and continuous pilot burner Top plates and removable centre with spill protection design Heavy-duty reinforced control knobs Mounted on leg stand with suite matching shelf Adjustable feet and 2 additional rollers Target Top Oven Range includes -Drop down door with welded frame Fully welded and vitreous enamelled oven liner Cool touch stainless steel door handle Easy clean, installation and service

#### Options.

Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Castor or plinth mounting

#### Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps



#### GAS TARGET TOPS

900MM WALDORF 8100 SERIES TARGET TOP



RN8100G-CB

#### 900MM WALDORF 8110 SERIES TARGET TOP OVEN



RN8110G

Model Options

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL

#### Dimensions

All models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (RNL) 972mm

#### Model Codes

RN8100G-B RN8100G-CB RN8100G-LS RN8100G-RB

\_\_\_\_\_



Oven Options




W 900mm, D 805mm, H 915mm	
Incl. splashback 1130mm	
Incl. low back (RNL) 972mm	

Dimensions

RN8110G RN8110GC RN8110GE RN8110GEC

Model Codes



# GRIDDLES.

Waldorf heavy-duty Gas Griddles are available in 450, 600, 900 and 1200mm widths and Electric Griddles are available in 600, 900 and 1200mm widths.Gas Griddle Ranges are available in 900 and 1200mm, Electric Griddle Ranges are available in 900mm, both have with electric ovens in static or convection.

All heavy-duty Griddles feature seamless weld construction with a solid 20mm thick plate as standard, for maximum heat retention and distribution. They are thermostatically controlled for accurate temperature setting, and are available in machine finished mild steel plate, or the new mirror chromed finish for more consistent performance. They also offer a choice of smooth or ribbed surfaces, or a mixture of both.



## **GRIDDLES**.

### Standard Features.

Heavy-duty 304 grade stainless steel finish Thermostatic control 20mm thick machined top plates Full pilot and flame failure protection Top weld sealed plates Stainless steel grease drawer Heavy-duty reinforced control knobs Push-button piezo ignition Mounted on leg stand with suite matching shelf Adjustable feet and 2 additional rollers Easy clean, installation and service Griddle Oven Range includes -Drop down door with welded frame Fully welded and vitreous enamelled oven liner Cool touch stainless steel door handle Easy clean, installation and service

#### Options.

Choice of griddle surface – smooth, ribbed, or both Mirror chromed plate option Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Castor or plinth mounting

#### Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps

### GAS GRIDDLES

450MM WALDORF 8450 SERIES GRIDDLE



GP8450G-LS

### 600MM WALDORF 8600 SERIES GRIDDLE



GP8600G-LS

### 900MM WALDORF 8900 SERIES GRIDDLE



GP8900G-CB

### 1200MM WALDORF 8120 SERIES GRIDDLE



GP8120G-LS

### Model Options

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL

### Dimensions

#### **Bench** models W 450mm, D 805mm, H 315mm

Incl. splashback 530mm

All other models W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

#### Model Codes

GP8450G-B GP8450G-CB GP8450G-LS

Incl. low back (GPL) 372mm

### **BENCH MODEL** CABINET BASE MODEL LEG STAND MODEL

Bench models W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

GP8600G-B GP8600G-CB GP8600G-LS

**BENCH MODEL** CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL

Bench models W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

GP8900G-B GP8900G-CB GP8900G-LS GP8900G-RB

**BENCH MODEL** CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL Bench models W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

All other models W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

GP8120G-B GP8120G-CB GP8120G-LS GP8120G-RB



### ELECTRIC GRIDDLES

600MM WALDORF 8600 SERIES GRIDDLE



GP8600E-LS

# 900MM WALDORF 8900 SERIES

# GRIDDLE



GP8900E-LS

### 1200MM WALDORF 8120 SERIES GRIDDLE



GP8120E-LS

#### Model Options

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL

### Dimensions

Bench models W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

#### Model Codes

GP8600E-B GP8600E-CB GP8600E-LS

**BENCH MODEL** CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL

### Bench models

W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

GP8900E-B GP8900E-CB GP8900E-LS GP8900E-RB

**BENCH MODEL** CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL

#### Bench models

W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

GP8120E-B GP8120E-CB GP8120E-LS GP8120E-RB



# GAS GRIDDLE

900MM WALDORF 8910 SERIES GRIDDLE OVEN



GP8910G

900MM WALDORF 8121 SERIES GRIDDLE OVEN



GP8121GEC

Oven Options GE ELECTRIC STATIC OVEN

ŝ

GEC ELECTRIC

CONVECTION OVEN

Dimensions

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm Model Codes

GP8910GE GP8910GEC

GE ELECTRIC STATIC OVEN GEC ELECTRIC CONVECTION OVEN W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm GP8121GE GP8121GEC

×


### ELECTRIC GRIDDLE

900MM WALDORF 8910 SERIES GRIDDLE OVEN



GP8910EC

Oven Options	Dimensions	Model Codes	
E ELECTRIC STATIC OVEN EC ELECTRIC CONVECTION OVEN	W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (GPL) 972mm	GP8910E GP8910EC	



# **GRIDDLE TOASTER.**

The Waldorf 800 Series Griddle Toaster uses one set of specially designed burners and stainless steel radiants to perform two functions. The burners heat the 16mm thick grill plate above them while providing heat to the toasting rack below, without compromising cooking times or performance.



### GRIDDLE TOASTER

600MM WALDORF 8600 SERIES GRIDDLE TOASTER




GT8600G

### Dimensions

W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (GTL) 972mm Model Code

GT8600G





# GAS CHARGRILLS.

Powerful stainless steel burners are the engine room of the 800 Series Chargrills. Heavy-duty cast iron grates and radiants deliver maximum heat right to the cooking surface edge.

The inclined position incorporates a flare reducing grate fin design, with grooves, to run grease into a front collection channel. Interchangeable 300 and 450mm drop-on griddle sections add an extra dimension to 800 Series Chargrills.

# Standard Features.

Heavy-duty 304 grade stainless steel finish Reversible heavy-duty top grates Inclined position to reduce flare and enhance grease run 33MJ/hr stainless steel burners per 300mm section Flame failure protection with continuous pilot burner Lift out grates, radiants and baffles for cleaning Heavy-duty reinforced control knobs Mounted on leg stand with suite matching shelf Adjustable feet and 2 additional rollers Easy clean, installation and service

Options.

Castor or plinth mounting

# Accessories.

Interchangeable drop-on griddle plates Mobile castor kit (set of 4 castors, 2 lockable) Joining caps

#### GAS CHARGRILL Model Options Dimensions Model Codes BENCH MODEL ONLY W 300mm, D 805mm, H 315mm CH8300G-B 300MM Incl. splashback 530mm WALDORF 8300 SERIES Incl. low back (CHL) 372mm CHARGRILL CH8300G-B 450MM BENCH MODEL Bench models CH8450G-B CH8450G-CB CABINET BASE MODEL W 450mm, D 805mm, H 315mm WALDORF 8450 SERIES LEG STAND MODEL Incl. splashback 530mm CH8450G-LS CHARGRILL Incl. low back (CHL) 372mm All other models W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (CHL) 972mm CH8450G-LS 600MM **BENCH MODEL** Bench models CH8600G-B CABINET BASE MODEL W 600mm, D 805mm, H 315mm CH8600G-CB WALDORF 8600 SERIES LEG STAND MODEL Incl. splashback 530mm CH8600G-LS CHARGRILL Incl. low back (CHL) 372mm All other models W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (CHL) 972mm CH8600G-LS **BENCH MODEL** CH8900G-B Bench models 900MM CABINET BASE MODEL CH8900G-CB W 900mm, D 805mm, H 315mm WALDORF 8900 SERIES LEG STAND MODEL Incl. splashback 530mm CH8900G-LS CHARGRILL Incl. low back (CHL) 372mm All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (CHL) 972mm CH8900G-LS 1200MM **BENCH MODEL** Bench models CH8120G-B CABINET BASE MODEL W 1200mm, D 805mm, H 315mm CH8120G-CB WALDORF 8120 SERIES LEG STAND MODEL Incl. splashback 530mm CH8120G-LS CHARGRILL Incl. low back (CHL) 372mm All other models W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm

CH8120G-LS

Incl. low back (CHL) 972mm



# SOLID FUEL GRILLS.

Bring outdoor cooking inside with the Waldorf Solid Fuel Grill. Featuring heavy-duty stainless steel rod grates and heavy-duty firebox, the Solid Fuel Grill is available in 600mm, 900mm and 1200mm widths.

Gain a unique char and add natural smoke flavour to your menu. Fully modular for a match suite finish the cabinet base is available with or without doors. Outstanding thermal efficiency is achieved by way of a firebox lined with 50mm refractory blocks.

# Standard Features.

Fully modular solid fuel grill 3 modular width models Heavy-duty fire box Heavy-duty stainless steel rod grates Stainless steel exterior Open box easy clean Low back models (SFL) available Ash rake included Welded hob with 1.5mm 304 stainless steel bull nose Spalshback and side panels 1.2mm 304 stainless steel Front panel's 0.9mm stainless steel 50mm thick refractory brick lined fire box Insulated sides

# Options.


Cabinet base with or without doors

900MM

SOLID FUEL GRILL

### SOLID FUEL GRILL

600MM WALDORF 8600 SERIES SOLID FUEL GRILL



1200MM WALDORF 8120 SERIES SOLID FUEL GRILL

CABINET BASE MODEL (WITH OR WITHOUT DOORS)



SF8120-CB

SF8900-CB

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm

SF8120-CB SF8120-CD



# SALAMANDERS.

User-friendly Waldorf Gas and Electric Salamanders are well equipped to meet the production and performance demands of the professional kitchen.

Efficiency comes by way of high-speed infrared burners and elements that heat up rapidly and use less energy to get the job done by directing more heat to the cooking surfaces.

Both gas and electric options can accommodate a Gastronorm GN 1/1 tray.

# Standard Features.

Heavy-duty 304 grade stainless steel finish Powerful 2 x 3kW elements or 2 x infrared 15.5MJ burners (8200 models) SN8100E model features 2 x 1.8kW elements Standing pilot with flame failure on gas models Left and right hand heat control Wall mounting bracket Easy clean, installation and service Bottom collection tray

Accessories.

Branding plate





### GAS SALAMANDER

900MM WALDORF 8200 SERIES SALAMANDER



### SN8200G

### ELECTRIC SALAMANDER

900MM WALDORF 8200 SERIES SALAMANDER



SN8200E

600MM WALDORF 8100 SERIES ADJUSTABLE SALAMANDER



SN8100E

SN8200G Four position racking (flat or inclined)

SN8200GB Four position racking (flat or inclined) with branding plate

Dimensions
------------

W 900mm, D 390mm (420mm with wall mounting bracket), H 400mm

Model Codes

SN8200G SN8200GB

Options SN8200E Four position racking (flat or H 400mm inclined)

> SN8200EB Four position racking (flat or inclined) with branding plate

Dimensions


W 900mm, D 390mm (420mm with wall mounting bracket),

Model Codes SN8200E

SN8200EB

Self balancing adjustable grill height W 600mm, D 510mm (540mm with wall mounting bracket), H 514mm

SN8100E



# FRYERS.

Waldorf Fryers have long set the benchmark for durability, speed and economy. The 800 Series builds on this tradition with a redesigned range of Fryers. Whatever your deepfrying demands, Waldorf covers all possibilities with a range including single or twin pan, Gas, Electric or High Performance and Output (HPO) Fryers in 400, 450 or 600mm.

Gas units feature Waldorf's unique Fast Fri technology, incorporating patented infrared burners for industry leading frying output and recovery.

All Fryers are available with either mechanical or digital controls. Digital control models offer precise temperature control, three product timers, as well as time and temperature digital display. Twin pan models have independent digital controls for each pan and six product timers.

For high volume operations, the 800 Series High Performance and Output (HPO) Fryers take speed and performance to another level again. Increased production (up to 50kg/hr) and superior recovery times are made possible through a blower system that pushes greater volumes of air and gas through specially designed ceramic fibre burners. More heat is absorbed by the oil, resulting in lower flue exhaust temperatures and lower production costs per kilo.

# Standard Features.

Heavy-duty 304 grade stainless steel finish Gas models feature the patented infrared burner system Easy clean stainless steel open pan with 10-year limited warranty 32mm drain valve Oil level and over temperature safety cut-outs Stainless steel exterior Fully modular Baskets and lids included Adjustable feet with additional rear rollers Easy clean, installation and service

Options.

Waldorf Filtamax Filtration System Castor or plinth mounting

## Accessories.

Extra baskets Side splash guards Mobile castor kit (set of 4 castors, 2 lockable) Joining caps



GAS FRYER	Capacity	Dimensions	Variations	Model Codes
400MM WALDORF SINGLE PAN GAS FRYER	18 LITRE CAPACITY	W 400mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (FNL) 1082mm	MECHANICAL CONTROLS	FN8118G
450MM WALDORF SINGLE PAN GAS FRYER	20 LITRE CAPACITY	W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (FNL) 1082mm	MECHANICAL CONTROLS DIGITAL DISPLAY ELECTRONIC CONTROLS	FN8120G FN8120GE
450MM WALDORF TWIN PAN GAS FRYER	13 LITRE CAPACITY EACH PAN	W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (FNL) 1082mm	MECHANICAL CONTROLS DIGITAL DISPLAY ELECTRONIC CONTROLS	FN8226G
600MM WALDORF SINGLE PAN GAS FRYER	31 LITRE CAPACITY EACH PAN	W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (FNL) 1082mm	MECHANICAL CONTROLS DIGITAL DISPLAY ELECTRONIC CONTROLS HPO FRYER - ELECTRONIC CONTROLS High Performance and Output Infrared burner system	FN8130G FN8130GE FN8130G-HPO



ELECTRIC FRYER	Capacity	Dimensions	Variations	Model Codes
450MM WALDORF SINGLE PAN	27 LITRE CAPACITY	W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (FNL) 1082mm	MECHANICAL CONTROLS	FN8127E
ELECTRIC FRYER	FN8127E		DIGITAL DISPLAY ELECTRONIC CONTROLS	FN8127EE

W 450mm, D 805mm, H 915mm

Incl. splashback 1130mm

Incl. low back (FNL) 1082mm

MECHANICAL

DIGITAL DISPLAY ELECTRONIC

CONTROLS

CONTROLS

FN8224E

FN8224EE

450MM WALDORF TWIN PAN ELECTRIC FRYER

12 LITRE CAPACITY EACH PAN



FN8224EE

Ask for a detailed specification sheet on the Waldorf 800 Series Fryers outlining construction, features and installation information.



# FILTAMAX.

Waldorf Filtamax is a fully integrated filtration system, designed to fit in the unused space beneath the Waldorf Fast Fri Gas and Electric Fryers.

Moisture, fatty acids and food residue spoil the taste of fried food by contaminating the oil in which food is cooked. Filtamax removes these impurities, enabling you to produce better tasting food and more consistent results. It also reduces your operating costs by extending the life of your cooking oil by up to 50%.

Filtamax can be configured to the filtering method best suited to your application - either a reusable filter bag or filter pad kit used in conjunction with Filtamax pad consumables.

All Filtamax filters are mobile and can be used to filter fryers other than Waldorf, as long as the cooking oil capacity of the fryer does not exceed the recommended Filtamax oil capacity.

# Standard Features.

Heavy-duty 304 grade stainless steel finish Powerful reversible 1/3 HP pump Reusable filter bag Mounted on two fixed and two swivel castors Rigid delivery hose with heavy-duty insulated handle Easy clean, installation and service

# Options.

Additional reusable filter bags Carbon pad upgrade kit Drain adaptor kit Drain extension kit



# ×

## ELECTRIC FILTAMAX

WALDORF 800 SERIES FILTAMAX FRYER FILTER



20 LITRE CAPACITY 30 LITRE CAPACITY 32 LITRE CAPACITY

Dimensions W 324mm, D 683mm, H 562mm W 324mm, D 735mm, H 562mm W 474mm, D 683mm, H 562mm Model Codes FF8130E FF8135E FF8140E

FF8135E



# **BRATT PANS.**

Big on performance, the 800 Series of tilting Bratt Pans has expanded to include a choice of 80 litre (900mm wide) or 120 litre (1200mm wide) options in gas or electric. Easy clean, easy service and superb finishing make the new Bratt Pans a welcome addition to the 800 Series line-up.

# Standard Features.

Heavy-duty 304 grade stainless steel finish Manually operated tilting mechanism Heavy-duty lid and hinge system Galvanized steel chassis Stainless steel exterior Full stainless steel pan with 2mm pan body 12mm thick stainless steel even heat pan base Large capacity pouring spout Heavy-duty stainless steel legs with adjustable feet Large easy use control knobs - heat resistant reinforced Thermostatic control Over temperature safety cut-out Fold away handle on manual pan tilt Easy clean, installation and service

# Options.


Electric power tilting mechanism Plinth mounting

## Accessories.

Joining caps



GAS BRATT PANS	Capacity	Dimensions	Variations	Model Codes
900MM WALDORF 800 SERIES GAS BRATT PANS	80 LITRE CAPACITY	W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BPL) 972mm With lid open 1600mm	MANUALLY OPERATED TILTING MECHANISIM ELECTRIC POWER TILTING MECHANISIM	BP8080G BP8080GE
200MM NALDORF 800 SERIES GAS BRATT PANS	BP8080G 120 LITRE CAPACITY	W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (BPL) 972mm With lid open 1600mm	MANUALLY OPERATED TILTING MECHANISIM ELECTRIC POWER TILTING MECHANISIM	BP8120G BP8120GE
	BP8120G			
ELECTRIC BRATT PANS	Capacity	Dimensions	Variations	Model Codes
900MM WALDORF 800 SERIES ELECTRIC BRATT PANS	80 LITRE CAPACITY	W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BPL) 972mm With lid open 1600mm	MANUALLY OPERATED TILTING MECHANISIM ELECTRIC POWER TILTING MECHANISIM	BP8080E BP8080EE
1200MM WALDORF 800 SERIES ELECTRIC BRATT PANS	120 LITRE CAPACITY	W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (BPL) 972mm With lid open 1600mm	MANUALLY OPERATED TILTING MECHANISIM ELECTRIC POWER TILTING MECHANISIM	BP8120E BP8120EE



# PASTA COOKERS.

The 800 Series Pasta Cooker is built for speed. Fully modular, and featuring a unique pan design, it comes well equipped for the continuous production of perfect pasta.

From variable high boil to standby simmer, our patented infrared burner system maintains constant water temperature and enables faster turnaround of product through outstanding recovery times from low heat settings. The standard provision of four baskets allows four different pastas to be cooked at the same time.

# Standard Features.

Unique pan design Fine adjustment water faucet for pan filling Starch-skimming system for constant water freshness 316 grade stainless steel pan for extra resistance to salt effects Easy clean stainless steel open pan with 10-year limited warranty 25mm drain valve for safe and easy cleaning Four stainless steel pasta baskets for multiple pasta cooking Safety cut out thermostat for empty pan/water boil out Hinged basket drain stand Removable basket support grid Adjustable feet and additional rear rollers Easy clean, installation and service

## Options.

Plinth mounting Rectangular baskets

# Accessories.

Side splashguards Joining caps





GAS PASTA COOKER	Capacity	Dimensions	Model Codes
450MM WALDORF 8140 SERIES SINGLE PAN PASTA COOKER	40 LITRE CAPACITY	W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (PCL) 972mm	PC8140G
N	PC8140G		
ELECTRIC PASTA COOKER	Capacity	Dimensions	Model Codes
450MM WALDORF 8140 SERIES SINGLE PAN PASTA COOKER	40 LITRE CAPACITY	W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (PCL) 972mm	PC8140E

PC8140E

57



# BENCH TOPS.

The 800 Series Bench Top has been designed to seamlessly be added to any cooking lineup or to a new low back island suite. In a variety of widths, combinations and end models to streamline your kitchen - 200mm, 300mm, 400mm, 450mm, 550mm, 600mm and 700mm width models are available with a mixture of cabinet base, cabinet base with doors and leg stand. 900mm width are available with cabinet base, leg stand or refrigerated base.

Waldorf 800 Series Bench Tops give you the option of extra work area, storage or refrigeration.

Standard Features.

3.5mm thick compound work surface

- 1.5mm heavy-duty 304 grade stainless steel top

- 2.0mm galvanised steel backing
- Mounted on leg stand with suite matching shelf
- Adjustable feet at front with rear rollers

# Options.

Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Plinth mounting Castors

Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps

BENCH TOPS	Model Options	Dimensions	Model Codes
200MM WALDORF 8200 SERIES BENCH TOP	CABINET BASE MODEL	W 200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (BTL) 972mm	BT8200-CB BT8200-CD
БТ8200-CD			
300MM WALDORF 8300 SERIES BENCH TOP	CABINET BASE WITH DOORS	W 300mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (BYL) 972mm	BT8300-CD
BT8300-CD			
400MM	CABINET BASE WITH DOORS LEFT HAND END	W 400mm, D 805mm, H 915mm Incl. splashback 1130mm	BT8400-CD-LH
WALDORF 8400 SERIES BENCH TOP	CABINET BASE WITH DOORS RIGHT HAND END	Incl. low back (BTL) 972mm	BT8400-CD-RH
BT8400-CD-LH			
450MM	CABINET BASE MODEL	W 450mm, D 805mm, H 915mm	BT8450-CB
WALDORF 8450 SERIES BENCH TOP	LEG STAND MODEL	Incl. splashback 1130mm Incl. Iow back (BTL) 972mm	BT8450-LS

BT8450-LS

BENCH TOPS	Model Options	Dimensions	Model Codes
550MM WALDORF 8550 SERIES BENCH TOP	CABINET BASE WITH DOORS LEFT HAND END CABINET BASE WITH DOORS RIGHT HAND END	W 550mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (BTL) 972mm	BT8550-CD-LH BT8550-CD-RH
BT8550-CD-LH			
600MM WALDORF 8600 SERIES BENCH TOP	CABINET BASE MODEL	W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BYL) 972mm	BT8600-CD BT8600-LS
БТ8600-CD			
700MM WALDORF 8700 SERIES BENCH TOP	CABINET BASE WITH DOORS LEFT HAND END CABINET BASE WITH DOORS RIGHT HAND END	W 700mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. Iow back (BTL) 972mm	BT8700-CD-LH BT8700-CD-RH
900MM	CABINET BASE MODEL	W 900mm, D 805mm, H 915mm	ВТ8900-СВ
WALDORF 8900 SERIES BENCH TOP	LEG STAND MODEL	Incl. splashback 1130mm Incl. Iow back (BTL) 972mm	BT8900-CD
	REFRIGERATED BASE		BT8900-RB

BT8900-LS



# BENCH TOPS

### 900MM WALDORF 8900 SERIES BENCH TOP



BT8900S-RB

Model Options	Dimensions	Model Codes
CABINET BASE MODEL	W 900mm, D 805mm, H 915mm Incl. splashback 1130mm	BT8900S-CB
LEG STAND MODEL	Incl. low back (BTL) 972mm	BT8900S-CD
REFRIGERATED BASE		BT8900S-RB



# Taste the Waldorf 800 Series.

Our network of dealer showrooms is well resourced to provide all the information you need on the Waldorf 800 Series. To see it in action, book in for a demonstration at a Moffat Test Kitchen near you.

Our skilled chefs and knowledgeable sales team will help you in selecting the right appliances for your kitchen.

Introductory sessions can be booked online through www.moffat.com.au Moffat Australia or www.moffat.co.nz Moffat New Zealand.

# On call service where you are.

Moffat provides full service backup, 24 hours a day, 7 days a week. Our own Technical Service Department provides full support to a team of trained service personnel in each of our branches.

Strategically placed, authorised service providers provide backup to outlying areas and a national toll free number enables immediate access to our service network.





# Waldorf 800 Series AGA Gas Certified Products

Gas Pasta Cooker - PC8410G and PCL model	Cert. No. 7027
Gas Griddle Toaster - GT8600G	Cert. No. 6869
Gas Target Top - RN8100G , RNL8100G and RNL models	Cert. No. 6872
Gas Chargrill - CH8300G, CH8600G, CH8900G, CH8120G and CHL models	Cert. No. 6878
Gas Salamander - SN8200G	Cert. No. 4337
Gas Cooktop - RN8200G, RN8400G, RN8450G, RN8600G, RN8800G, RN8900G and RNL models	Cert. No. 6902
Gas Range Static Oven 600mm - RN8410G, RN8820G and RNL models	Cert. No. 6901
Gas Range Static Oven - RN8510G, RN8610G, RN8810G, RN8910G and RNL models	Cert. No. 6892
Gas Range Electric Static Oven - RN8510GE, RN8610GE, RN8810GE, RN8910GE and RNL models	Cert. No. 6892
Gas Range Convection Oven - RN8510GC, RN8610GC, RN8810GC, RN8910GC and RNL models	Cert. No. 6913
Gas Range Electric Convection Oven - RN8510GCE, RN8610GCE, RN8810GCE, RN8910GCE and RNL models	Cert. No. 6913
Gas Target Top Range - RN8110G, RN8110GC and RNL models	Cert. No. 6918
Gas Target Top Range Electric Oven - RN8110GE, RN8110GEC and RNL models	Cert. No. 6918
Gas Bratt Pan - BP8080G(E), BP8120G(E) and RNL models	Cert. No. 6923
Gas Griddle Plate - GP8600G, GP8900G, GP8120G and GPL models	Cert. No. 6898
Gas Griddle Range Electric Oven - GP8910GE, GP8910GEC, GP8121GE, GP8121GEC and GPL models	Cert. No. 7088
Gas Fryer - FN8120G, FN8226G, FN8130G and FNL models	Cert. No. 6882
Gas Fryer DigitalControl - FN8120GE, FN8226GE, FN8130GE and FNL models	Cert. No. 6882
Gas HPO Fryer - FN8130GHPO and FNL models	Cert. No. 6125





### Australia moffat.com.au

### **Moffat Pty Limited**

Victoria/Tasmania 740 Springvale Road Mulgrave, Victoria 3170 Telephone +61 3-9518 3888 Facsimile +61 3-9518 3833 vsales@moffat.com.au

New South Wales Telephone +61 2-8833 4111 nswsales@moffat.com.au

South Australia Telephone +61 3-9518 3888 vsales@moffat.com.au

Queensland / Northern Territory Telephone +617-3630 8600 qldsales@moffat.com.au

Western Australia Telephone +61 8-9413 2400 wasales@moffat.com.au

#### New Zealand moffat.co.nz

#### **Moffat Limited**

Rolleston 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6600 Facsimile +64 3-983 6660 sales@moffat.co.nz

Auckland Telephone +64 9-574 3150 sales@moffat.co.nz

### International moffat.com

### **Moffat Limited**

Rolleston 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6660 Facsimile +64 3-983 6660 international@moffat.co.nz



ISO9001 Quality Management Standard

Designed and manufactured by

# MOFFRT.

#### ISO9001

All Waldorf products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd AN.W8S.B.1801



Australia



New Zealand



International



an Ali Group Company



