Section 1: Product and Company Identification:



KWIKSAN

Surface Sanitizer

Applied Products Australia Pty Ltd

11 Gamma Close Phone: (02)4966 5516 Beresfield (Newcastle) Fax: (02)4966 5510

NSW, 2322, Australia E-Mail: info@actichem.com.au

Emergency Telephone Number: (02)4966 5516 (Monday – Friday 8:00am – 5:00pm)

Poisons Information Centre: 13 11 26
Date of SDS Preparation: 1 May 2014

Section 2: Hazard Identification

Product Name: Kwiksan Product Code: AP689

Risk Phrases: Xi Irritant

F Flammable

R11 Highly Flammable R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

Safety Phrases: S(2) Keep out of reach of children

S7 Keep container tightly closed.

S16 Keep away from sources of ignition. No smoking.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

Section 3: Composition and Information on Ingredients

INGREDIENTS

All hazardous substances as defined by the NOHSC code 1008 are listed by chemical name and CAS No. Other ingredients which are determined to be non-hazardous are listed by generic name or as "other ingredients determined not to be hazardous."

CHEMICAL NAMECAS No.PROPORTIONEthyl Alcohol64-17-530-60%Iso Propyl Alcohol67-63-030-60%Other ingredients determined not to be hazardous30-60%

Section 4: First Aid

Standard Statements

A For advice, contact a Poisons Information Centre (Tel 13 11 26) or a doctor.

G3 If swallowed do NOT induce vomiting.

First Aid Facilities: Normal washroom facilities.

Advice to doctor: Treat symptomatically.

Section 5: Fire Fighting Measures

Flammability: Flammable.

Fire/Explosion Hazard: Use dry chemical, foam or water fog. Do not use direct water jet. Wear full body protective

clothing with self-contained breathing apparatus (SCBA) and protective gloves. Use all means

available to prevent any spillage entering a watercourse.

Hazardous Combustion Products: None known

Section 6: Accidental Release Measures

Spills and Disposals: Large Spills - Absorb on sand, dirt, vermiculite or similar absorbent material. Place into

labeled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and

effectively handle.

Small Spills – Flush away with copious amounts of water.

Personal Protective Equipment: Refer to Section 8 of this SDS for PPE required.

Section 7: Safe Handling Information

Storage & Transport: Store and transport according to the requirements of the Australian Dangerous Goods Code

for Transport. Store in a cool place and out of direct sunlight. Store away from strong acids. Store away from possible contact with non-ferrous metals. Keep container sealed when not in use. Store locked up and out of reach of children. Only store in the original container as

supplied by the manufacturer.

Handling: Always use recommended Personal Protective Equipment (see section 8 of this SDS). Do not

mix with any other chemical unless expressly recommended by the manufacturer.

Section 8: Exposure Controls and Personal Protection

Exposure Standards: No exposure standards have been assigned to this product.

Engineering Controls: Maintain adequate ventilation at all times. In most circumstances natural

ventilation systems are adequate unless the material is heated, reacted or otherwise

changed in some type of chemical reaction, then the use of a local exhaust

ventilation system is recommended. Do not aerosolize.

Personal Protection Equipment:

Gloves and apron – Use NBR or chemical resistant elbow length gloves and apron.

Goggles -Wear chemical goggles.

Respiratory Protection – Not normally required when used as directed. If used in confined spaces, select and use respirators in accordance with AS/NZS 1715/1716.

The use of half-face P1 (dust/mist) respirator with replaceable filters is

recommended.

Section 9: Physical and Chemical Properties

Appearance: Clear water white liquid with solvent odour.

Boiling Point: Not available **Vapour Pressure:** Not available

Specific Gravity: 0.794

Flammability Limits: Not available
Solubility in Water: Soluble

OTHER PROPERTIES

Corrosiveness: Not corrosive.

pH: 8.0

Section 10: Stability and Reactivity

Stability: Stable under normal conditions of use.

Hazardous Decomposition Products: None known **Hazardous Polymerization:** Will not occur.

Incompatibilities: Strong oxidizing agents.

Conditions to avoid: Sources of ignition, high temperatures and incompatibilities.

Section 11: Toxicological Information

HEALTH EFFECTS

ACUTE

Swallowed: Will cause Irritation to the mouth, throat and stomach with possible effects including

mucous build-up, irritation to the tongue and lips and pains in the stomach, which may lead

to nausea, vomiting and diarrhea.

Eye: Will cause irritation to the eyes with effects including: tearing, pain, corneal opacity and

blurred vision.

Skin:May cause irritation to the skin, and drying/defatting.Inhaled:Mists from the product may cause drowsiness and dizziness.ChronicProlonged or repeated skin contact may lead to dermatitis.

Prolonged eye contact may cause permanent eye damage.

Toxicological Information: There is no toxicological information for the product AP689 Kwiksan.

Section 12: Ecological Information

Ecological Information: There is no ecological information for the product **AP689 Kwiksan.**

Section 13: Disposal Considerations

Disposal Methods: Recycle all plastic containers using suitable local council recycling facilities. Rinse out

the container with clear water.

Avoid tipping product directly into the sewer system.

Section 14: Transport Information

AP689 Kwiksan is classified as a Dangerous Good for transport or storage.

UN Number: 1993

Dangerous Goods Class

and Subsidiary Risk: 3
Packaging Group

Proper Shipping Name: Flammable Liquid NOS

Hazchem Code: 3(Y)E **Poisons Schedule No:** None

Section 15: Regulatory Information

Poisons Scheduling: None

Section 16: Other Information

Contact Point: Poisons Information Centre Tel 13 11 26

Last SDS Revision: 1 May 2014

Sources:

National Code of Practice for the Preparation of Material Safety Data Sheet 2nd Edition

[NOHSC: 2011(2003)]

National Standard for the Storage and Handling of Workplace Dangerous Goods

[NOHSC:1015(2001)]

Hazardous Substances Information System Data Base 26 July 2011

Australian Dangerous Goods Code 6th Edition

Standard for the Uniform Scheduling of Medicines and Poisons No.2 August 2011

Abbreviations: ppm - parts per million

TLV - Threshold Limit Value

mmHG - millimetres of Mercury (Hg) – this is a unit of pressure

CAS No .- Chemical Abstracts Service Registry Number

TWA - Time Weighted Average

STEL - Short Term Exposure Limit

PEL - Permissible Exposure Limit.

< & > - < Less Than > Greater Than

UN - United Nations

AICS - Australian Inventory of Chemical Substances

LC50 - Lethal Concentration. LC50 is the concentration of a material in air which

causes death of 50% (one half) of a group of test animals.

LD50 - Lethal Dose". LD50 is the amount of a material, given all at once, which

causes the death of 50% (one half) of a group of test animals.

Note: This Safety Data Sheet has been compiled in accordance with the National Code of Practice for the

Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]

DISCLAIMER:

All information appearing herein is based upon data obtained from raw material manufacturers and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of **Applied Products Australia** and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.